

FIG. 1




FIG. 2

2/26





FIG. 3A-D




FIG. 3E

3/26



FIG. 3F

4/26




FIG. 4A





FIG. 4B

5/26




FIG. 5




FIG. 6

6/26




FIG. 7



FIG. 8A

7/26




FIG. 8B




FIG. 8C

8/26




FIG. 9A




FIG. 9B




FIG. 10A




FIG. 10E

10/26




FIG. 10B

11/26




FIG. 10C

12/26




FIG. 10D




FIG. 10F

13/26




FIG. 10G




FIG. 11A

14/26




FIG. 11B

15/26




FIG. 11C

16/26




FIG. 11D

17/26




FIG. 12




FIG. 13A

FIG. 13B




FIG. 13C




FIG. 14A

19/26




FIG. 14B

20/26

Knife




FIG. 14C




FIG. 15

21/26




FIG. 16A-B




FIG. 17





FIG. 19A-B

22/26

FIG. 18FIG. 19C

23/26




FIG. 20




FIG. 22



FIG. 24

24/26




FIG. 21A







FIG. 21B

25/26

**FIG. 23****FIG. 25**

26/26



- A - Surgical frame
- B - Nerve sealing gasket
- C - Bottom plate of surgical frame
- D - Host and donor axons to be fused and repaired
- E - Inflow tubes
- F - Outflow tubes
- G - Wave guide
- H - Assembled MEMS axon repair platform
- I - Micromanipulator to position MEMS axon repair platform

FIG. 26

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.